

- 30 **Inan MS**, Rasoulpour RJ, Yin L, *et al.* The luminal short-chain fatty acid butyrate modulates NF-kappaB activity in a human colonic epithelial cell line. *Gastroenterology* 2000;**118**:724–34.
- 31 **Luhrs H**, Gerke T, Schaubert J, *et al.* Cytokine-activated degradation of inhibitory kappaB protein α is inhibited by the short-chain fatty acid butyrate. *Int J Colorect Dis* 2001;**16**:195–201.
- 32 **Loncar MB**, Al-azzeh ED, Sommer PS, *et al.* Tumour necrosis factor alpha and nuclear factor kappaB inhibit transcription of human TFF3 encoding a gastrointestinal healing peptide. *Gut* 2003;**52**:1297–303.
- 33 **Loncar MB**, Al-azzeh ED, Romanska H, *et al.* Transcriptional control of TFF3 (intestinal trefoil factor) via promoter binding sites for the nuclear factor kappaB and C/EBPbeta. *Peptides* 2004;**25**:849–54.

CORRECTION

doi: 10.1136/pmj.2004.026369corr1

An editorial error occurred in this paper by Drs J E Lai Cheong and R Bucknall (2005;**81**:266–7). The first author's name should have read J E Lai Cheong [not J L Cheong].



CORRECTION

Postgrad Med J 2006 82: 135
doi: 10.1136/pmj.2004.026369corr1

Updated information and services can be found at:
<http://pmj.bmj.com/content/82/964/135>

These include:

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>