Discussion

Chairman: DR J. R. MIKHAIL

(Central Middlesex Hospital)

DR I. M. MARKS (Maudsley Hospital): Is there any literature at all on the prophylactic aspects of marital breakdown? What social measures have been proposed?

DR J. DOMINIAN (Central Middlesex Hospital): This is a very difficult question to answer because there is no doubt at all that the marriage councils do try and express repeatedly in their own work some of the important aspects of education for marriage, but there is really no organized literature, no organized formulation of ideas in our community about prevention of marital breakdown, and this is very sad because at least some areas are very clear. The relationship between age of marriage and marital breakdown is so indisputably clear from the research that it is a fertile area for further exploration. Yet here we have a fundamental conflict in our society because western societies, and our own in particular, have taken the point of view that young people must be given at the earliest age the right to act independently of their parents at the age of 18. This is admirable because by then the maximum physical, and in some ways intellectual, growth has taken place, but the maximum emotional development has certainly not taken place, and the conflict between these two aspects of man affect very much the stability of marriage because marriage requires far more than physical or intellectual stability. It requires the capacity to form a relationship, and therefore to start a relationship between 16 and 19 at a time in which a substantial part of man's personality will emerge in the next decade does present us with real problems. There is no doubt that marriages which take place between 22 and 24, which is the average age, have been shown to be far more stable. The brief answer is that there are data which could become common everyday knowledge in our society, but I am not aware that this has yet been achieved or there is any chance that this will be achieved in the near future.

DR PHILIP HOPKINS (Hampstead): Does Dr Dominian really think that knowledge of these facts would make any difference to young people? They still smoke, and knowing that marriage may break down if they marry when 20 will not stop a young couple, who feel they are madly in love, from getting married.

DR DOMINIAN: I take this point of view very seriously. I feel that if our society as a whole, by which I mean our educational programmes at schools and our society in general, really became familiar with these facts, and we had in our education at school a programme for the development of human relationships, that this would begin to bring an influence of knowledge and understanding which might not prevent the most acutely demanding emotional marriages at 16 or 17 but would I think have a slowing effect on youthful marriages. Secondly, and more important, even if people are not prevented from marrying, if they become aware in their education of some of the dangers, they can seek help at an earlier stage, and

seeking help at the earliest possible moment is very important. I will still accept your point of view, that in some cases this is not going to make the slightest difference, but when we are considering a size of petitions of the order of 100,000 or more even the smallest reduction in this rate of breakdown will have important psychological, emotional and social and financial implications for our society, let alone other western societies, all of which are going through the same process.

DR H. DAWSON (Cane Hill Hospital): I would like to know your views about the doctor's role in the marital problem. We have increasing demands on our time for all sorts of interesting new problems about marriage. Do you see us as a referral agency for mental illness, exclude this or treat it, and then refer the marital problem to someone else who has the time?

DR DOMINIAN: This is a very important question. The first answer I would say is that I would think it is imperative that an educational programme for marital pathology is instituted as part of the training of medical students because in fact there is no doubt at all that every doctor from GP to hospital practice is faced with this as probably the number one social pathological issue. Secondly, who should carry out the therapy? Here if one can be sure that the problem is identified, who has the time to carry out the treatment is a much more difficult issue, and one is very much aware that time is scarce, not only at the hospital, but at all levels, but I would be very worried if we went on with this traditional separation that we have mental illness *and other problems*. I think one has to see the intimate relationship between the life events in a person and their psychiatric manifestations, and therefore I would suggest that we should find far more time for this aspect than we are allocating at present. But in the end there has to be a substantial non-professional organization to help, and we should be very proud that we do have such an organization in the marriage councils in this country. I think by and large the medical profession does not know and does not use them properly. Similarly, we have not supported these organizations with research and training, but they are there and they are doing extremely difficult work, and if we can support them and help them they can give us the precious characteristic we have not got which is time. To sum up, I think as psychiatrists we must not go on separating the illness from the life process in the individual. I think we must learn a great deal more about marital breakdown, and at least having identified the problem help people by giving them the confidence to go and seek help in the appropriate organization which will remain for a long time the voluntary organizations and, of course, the social services, in the community, which is centred on the family. There should be more and more work with marriages as a result of the reconstruction of the social services.

DR BRIAN A. O'CONNELL (Northgate Clinic): I would like to know whether you have any information about those stable relationships which are not in fact legalized by marriage, and secondly, whether you have any information about the stability or otherwise of second marriages in those persons who have failed in the first marriage.

DR DOMINIAN: The second question is easier to answer statistically. First of all, something like 75% of people whose first marriage breaks down do re-marry. Marital breakdown may be taking place, divorce may be taking place, but marriage is as fashionable as ever. The results of second marriages have been subjected to very much closer scrutiny in the U.S.A. than in this country. There the results are a little contradictory. A paper which came out in 1955 by Monahan (*American Sociological Review*, 20, 446) suggested that second and third marriages were on the whole less stable than the first. A recent survey in the U.S.A. with national statistics does not confirm this finding, and I suspect that here a very great deal more research needs to be done to relate the stability of second marriages by the type of breakdown of the first one. What I am really suggesting is that if the neurotic and immature factors which obtained in the first one are still present in the selection of the second partner you may have successive marriage breakdowns which one worker called successive polygamy. However, if there is maturation, if there is development, then it is possible that second marriages will prove a great deal more stable than the first one.

With regard to 'marriages' in which people have not gone through a formal ceremony, I do not have any definite answers because one has no extensive information about it. I think these liaisons seem to me to be fairly unstable relationships because one way or another people are meeting their immediate needs and are very apprehensive about future long-term commitments. What they are really saying to each other without spelling it out is 'I am not ready for a stable long-term relationship'. If this is what they are saying by their refusal to marry they are probably very much aware of their own difficulties, and so one would suggest that these liaisons tend to be a little more unstable than more permanent ones.

DR STANLEY ELLISON (Hampstead): You gave us some figures for the number of divorces. In those figures is it possible to tell (a) the length of time of the marriage before the divorce took place, or (b) in a sample the length of marriage before it began to break down?

DR DOMINIAN: I think one can get a lot of information from R. Chester. He has shown that the time span between a marriage and divorce as shown by the final statistics of the decree nisi does not tell us anything about the natural history of marital breakdown because of the social and legal factors intervening between the breakdown and the legal processes which take it through to its ultimate conclusion. The studies which have been done show that in fact the time span between marriage and things going wrong is of the order of 2-3 years for a large number of marriages, and again Monahan in the U.S.A. in an extensive study showed that perhaps the most vulnerable year is the first year of marriage. There is no doubt at all that these figures suggest that the early years of marriage are much more vulnerable than the later ones,

and I think a great deal more attention has to be focused in these early years.

DR M. CROWE (Maudsley Hospital): Can we reconcile Kreitman's view of increasing 'neurosis' in spouses of neurotic patients with the apparent absence of neurosis in spouses of phobic patients, by postulating that, for example, husbands of agoraphobic women become over-protective to their wives as the marriage proceeds rather than developing phobias themselves?

DR DOMINIAN: This is undoubtedly one way of looking at this discrepancy. I think here we have a much more fundamental problem and one which affects the whole of psychiatry. I think we are using the word 'neurotic' possibly in two fundamentally different ways: neuroticism as expressing a neurophysiological mechanism of anxiety in all its manifestations, and neuroticism as used by the dynamic schools describing a personal characteristic of emotions and instincts with conflict inside the person or interpersonally, and until these are clearly discriminated and one can show we are talking about different influences and characteristics the confusion will continue.

DR E. J. H. COWEN (Lister Hospital, Hitchin): The critical thing as I understand it, in which we are all involved, is the question of emotional growing-up which I am sure you will agree goes on into the grave. Is there a useful dictionary, some helpful information, of emotional growing-up that would be a help to the enormous number of couples who need help in this?

DR DOMINIAN: I think there are many paperbacks trying to describe the emotional aspects of development, but to what extent people can in fact make use of such reading in terms of their own lives is one of the problems that psychiatrists recognize, namely, that an intellectual understanding is not necessarily associated with an emotional understanding. There are many books, e.g. Erickson's *Childhood and Society*, which are available, but the real challenge as far as marriage is concerned is not unilateral understanding of an individual. It is this very fascinating, unique interaction between people, both of whom come with different emotional backgrounds and in the intimacy of contemporary marriage are living afresh their childhood experiences, their expectations, their conflicts. It is this interaction which is the key. I have no doubt at all from my own observations that emotional growth, either unilaterally or bilaterally, but particularly unilaterally, is a vital factor in the pathology of marriage breakdown. It is simply that one partner is not reading accurately the changes which are taking place in the other, and therefore is unable to confirm or to affirm these changes. Instead there is criticism, interference, frustration, and they remain incomprehensible to them. Instead of there being a mutual growth there is conflict. The earlier the marriages the more likely it is that the size of emotional development and change is going to be large.

DR RATNA (London Hospital): Would you like to say something about the possibility that marital breakdown is sometimes therapeutic?

DR DOMINIAN: I have no doubt that in some cases marital breakdown is the only possible outcome for a

particular relationship. Having said that, one must go on repeating what I have been trying to say this morning, namely, that even if it is therapeutic there is a great deal of suffering involved in the process and for some people a great deal of distress in terms of suicide attempts, and so on. Secondly, if there are children, then a whole new dimension has to be recognized. As I tried to say in my paper, as far as children are concerned there are not only immediate consequences from the conflict, but also long-term effects on their personality and stability. While the answer is undoubtedly 'yes', for some people marital breakdown and the formation of a new marriage is the only answer, it is not unfortunately as simple as that.

DR I. M. MARKS (Maudsley Hospital): Are there any cultures which have institutionalized trial marriage as a preliminary to forming a definite marriage and do you

have any views about this kind of institution for our own culture, especially for the young?

DR DOMINIAN: As far as any trial marriages are concerned, they are not a new phenomenon. They have been advocated in the U.S.A. as far back as the 1920s. Formal papers are now being given in the U.S.A. about 5-year renewable contracts for marriage as the solution to cope with emotional growth. In African communities I think there is a very different type of trial marriage; at least there was until recently. There the woman is passed over to the man by stages. There is a price to be paid for the bride which used to be in animal form, and these are paid in instalments, depending on whether the couple can live harmoniously, whether the woman proves fertile, etc. This has gone for centuries in Africa, and some people want to think afresh along such lines.