- 30 **Inan MS**, Rasoulipour RJ, Yin L, *et al.* The luminal short-chain fatty acid butyrate modulates NF-kappaB activity in a human colonic epithelial cell line. *Gastroenterology* 2000;**118**:724–34.
- 31 **Luhrs H**, Gerke T, Schaubert J, *et al.* Cytokine-activated degradation of inhibitory kappaB protein α is inhibited by the short-chain fatty acid butyrate. *Int J Colorect Dis* 2001;**16**:195–201.
- 32 **Loncar MB**, Al-azzeah ED, Sommer PS, *et al.* Tumour necrosis factor alpha and nuclear factor kappaB inhibit transcription of human TFF3 encoding a gastrointestinal healing peptide. *Gut* 2003;**52**:1297–303.
- 33 **Loncar MB**, Al-azzeah ED, Romanska H, *et al.* Transcriptional control of TFF3 (intestinal trefoil factor) via promoter binding sites for the nuclear factor kappaB and C/EBPbeta. *Peptides* 2004;**25**:849–54.

CORRECTION

doi: 10.1136/pmj.2004.026369corr1

An editorial error occurred in this paper by Drs J E Lai Cheong and R Bucknall (2005;**81**:266–7). The first author's name should have read J E Lai Cheong [not J L Cheong].