- 19 Zwarardemaker H. Der Verlaustau hohen Tönen mit zunehmendem Alter. Ein neues Gesetz. *Arch Ohr Nas und Kehlkopfheilkunde* 1874;32:53–6.
- 20 Kiessling L, Pichora-Fuller MK, Gatehouse S, et al. Candidature for and delivery of audiological services: special needs of older people. *Int J Audiol* 2003;42:2S92–101.
- 21 Arnesen AR. Presbycusis—loss of neurons in the human cochlear nuclei. *J Laryngol Otol* 1982;96:503–11.
- 22 Pichora-Fuller MK, Souza PE. Effects of aging on auditory processing of speech. *Int J Audiol* 2003;42:2S11–16.
- 23 Luxon LM. The anatomy and pathology of the central auditory pathways. *Br J Audiol* 1981;15:31–40.
- 24 Jennings CR, Jones NS. Presbycusis. *J Laryngol Otol* 2001;115:171–8.
- 25 Gates GA, Myers RH. Genetic associations in age-related hearing thresholds. *Arch Otolaryngol Head Neck Surg* 1999;125:654–9.
- 26 Ensink RJ, Camp GV, Cremers CW. Mitochondrial inherited hearing loss. *Clin Otolaryngol* 1998;23:3–8.
- 27 Wright A, Forge A, Kotcheva B. Ototoxicity. In: Booth JB, eds. *Scott Browns otolaryngology*. Vol 3. *Otology*. Oxford: Butterworth Heinemann, 1997:3/20/1–2/20/31.
- 28 Lim DP, Stephens SDG. Clinical investigation of hearing loss in the elderly. *Clin Otolaryngol* 1991;16:288–93.
- 29 Schacht J. Aminoglycoside ototoxicity: prevention in sight? *Otolaryngol Head Neck Surg* 1998;118:674–7.
- 30 British Medical Association and Royal Pharmaceutical Society of Great Britain. *British National Formulary* 50, Sep 2005. London: British Medical Association and Royal Pharmaceutical Society of Great Britain, 2005.
- 31 Brors D, Bodmer D. New aspects of inner ear research. *Br J Hosp Med* 2004;65:392–5.
- 32 Gates GA, Cobb JL, D'Agostino RB, et al. The relation of hearing in the elderly to the presence of cardiovascular risk factors. *Arch Otolaryngol Head Neck Surg* 1993;119:156–61.
- 33 Brown CG, Gatehouse S, Lowe GD. Blood viscosity as a factor in sensorineural hearing impairment. *Lancet* 1986;i:121–3.
- 34 Rosen S, Olin P. Hearing loss and coronary heart disease. *Arch Otolaryngol Head Neck Surg* 1965;82:236–43.
- 35 Rosen S, Olin P, Rosen HV. Dietary prevention of hearing loss. *Acta Otolaryngol* 1970;70:242–7.
- 36 Yamazaki T, Ogawa K, Imoto T, et al. Senile deafness and metabolic bone disease. *Am J Otol* 1988;9:376–82.
- 37 Tay HL, Ray N, Ohri R, et al. Diabetes mellitus and hearing loss. *Clin Otolaryngol* 1995;20:130–4.
- 38 Hall SJ, Kerr AG, Varghese M, et al. Deafness in hypothyroidism. (Abstract). *Clin Otolaryngol* 1985;10:292.
- 39 Gates GA, Karzon RK, Garcia P, et al. Auditory dysfunction in aging and senile dementia of the Alzheimer's type. *Arch Neurol* 1995;52:626–34.
- 40 Anonymous. Hearing problems in elderly people: implications for services. *Lancet* 1987;i:1181–2.
- 41 Weinstein BE. Geriatric hearing loss: myths, realities, resources for physicians. *Geriatrics* 1989;44:42–60.
- 42 Pichora-Fuller MK. Cognitive aging and auditory information processing. *Int J Audiol* 2003;42:2S26–32.
- 43 Mulrow CD, Aguilar C, Endicott JE, et al. Quality of life changes and hearing impairment: a randomised trial. *Ann Intern Med* 1990;113:118–94.
- 44 Keller BK, Morton JL, Thomas VS, et al. The effect of visual and hearing impairments on functional status. *J Am Geriatr Soc* 1999;47:1319–25.
- 45 Arlinger S. Negative consequences of uncorrected hearing loss—a review. *Int J Audiol* 2003;42:2S17–20.
- 46 Sekuler R, Blake R. Sensory underload. *Psychology Today* 1987;21:48–53.
- 47 Gennis V, Garry PJ, Haaland KY, et al. Hearing and cognition in the elderly. *Arch Intern Med* 1991;151:2259–64.
- 48 Fisch U. Management of sudden deafness. *Otolaryngol Head Neck Surg* 1983;91:3–8.
- 49 Kveton JF. Evaluation and management of acoustic neuroma. *Current Opinion in Otolaryngology and Head and Neck Surgery* 1993;1:53–63.
- 50 Snik AFM, Mylanus EAM, Cremers CWRG. Implantable hearing devices for sensorineural hearing loss: a review of the audiometric data. *Clin Otolaryngol* 1998;23:414–19.
- 51 Izumikawa M, Minoda R, Kawamoto K, et al. Auditory hair cell replacement and hearing improvement by Atoh1 gene therapy in deaf mammals. *Nature Medicine*. 2005;11: 3, 271–6.
- 52 Ito J, Kojima K, Kawaguchi S. Survival of neural stem cells in the cochlea. *Acta Otolaryngol* 2001;121:140–2.

CORRECTION

doi: 10.1136/pgmj.2003.006577corr1

Following the decision of the General Medical Council's Fitness to Practise Panel,¹ the publisher is issuing a correction that affects the authorship of a letter published in the *Postgraduate Medical Journal*.² Following the panel's decision, this paper should now always be cited as: Bird AD. Cost effective strategy for a safe diagnosis of deep vein thrombosis at a district general hospital. *Postgrad Med J* 2003;79:363.

Ms Bird acknowledges the help of Dr J I G Strang, Dr R Winter, and Mr R Hibberd.

1 http://www.gmc-uk.org/concerns/decisions/search_database/ftp_panel_sinharay_20051122.asp

2 Sinharay R, Strang G, Bird D. Cost effective strategy for a safe diagnosis of DVT at a district general hospital. *Postgrad Med J* 2003;79:363.