

THE  
POST-GRADUATE MEDICAL JOURNAL  
THE OFFICIAL ORGAN  
OF  
THE FELLOWSHIP OF MEDICINE

VOL. I., No. 3.

DECEMBER, 1925

Price, 6d. net.  
Annual Subscription  
6 Shillings, post free.

Scarlet Fever



Streptococcus Antitoxin

(Parke, Davis & Co.)

PREPARED according to a method originated in the Research Laboratories of Parke, Davis and Company, SCARLET FEVER STREPTOCOCCUS ANTITOXIN (P., D. & Co.) registers an important advance in the treatment of scarlet fever.

It is unusually high in antitoxin strength—1 c.c. neutralising at least 35,000 skin test doses of standard scarlet fever streptococcus toxin—and it is actively anti-bacterial, so that it not only neutralises the toxæmia, but exerts a direct action on the infective process.

It is highly concentrated—the globulin being precipitated by methods analogous to those used in the refinement of Diphtheria Antitoxin, so that the volume of an effective dose is greatly reduced, as well as the content of serum proteins.

The distinguishing characteristics, therefore, of Scarlet Fever Streptococcus Antitoxin (P., D. & Co.) are:—

*High Antitoxic and antibacterial value.*

*Low protein content.*

*Ready absorbability.*

*Small volume of effective dose.*

Scarlet Fever Streptococcus Antitoxin (P., D. & Co.) has been tested in leading hospitals in England, Scotland and Ireland with extremely satisfactory results. One dose of 10 c.c. suffices in most cases to bring down the temperature within 36 hours, the duration of the disease is reduced, and early administration of the antitoxin inhibits in some degree the occurrence of complications and sequelæ.

Supplied in bulbs of 10 c.c., this being the dose for all cases irrespective of age.

*A Descriptive Pamphlet will be sent on request.*

PARKE, DAVIS & CO.,

50, Beak St., London, W. 1.

Telephone:  
"Regent 7801."

Telegrams:  
"Cascara, London."