

Stack

POST-GRADUATE MEDICAL JOURNAL

OFFICIAL ORGAN OF THE FELLOWSHIP OF MEDICINE
1, WIMPOLE STREET, LONDON, W.1.

Vol. XII. No.129.
(New Series)

JULY, 1936.

Monthly. Price 2s. net.

GASTRITIS

gastric ulceration,
vomiting of pregnancy

LIBRARY
COLLEGE OF PHYSICIANS AND SURGEONS
630 WEST 168th STREET
NEW YORK

This preparation of pure bismuth and pepsina liquida with sedatives possesses a world-wide reputation with the medical profession in the treatment of acute dyspepsia, especially when complicated with vomiting.

There is a wealth of medical evidence testifying to the excellent results achieved.

Packed in 16-oz., 8-oz., and 4-oz. bottles. Dose: One drachm in a little water three times a day before meals. Samples and literature will gladly be sent on request.

BISEDIA

FORMULA

Each drachm contains
in a concentrated form:

Liquor Bismuthi . . . dr. i
"Schacht" . . . dr. i

Pepsina Liquida . . . dr. i
"Schacht" . . . dr. i

Morphin. Hydrochlor . . . gr. 1/24
Scid. Hydrocyan. . . min. 2

Dil. P. B. . . min. 2
Tinct. Nucis Vom. . . min. 5

A preparation of
GILES SCHACHT & CO.
CLIFTON, BRISTOL, ENGLAND
Manufacturing Chemists for over a century

Distributors in Irish Free
State: May, Roberts &
Co. Ltd., Dublin.

In India: B. K. Paul & Co.,
Bonfield's Lane, Calcutta.

In Brazil: W. G. Wills,
Rua General Camara,
86 Rio de Janeiro.