

It is difficult to understand what relevance biomagnetic methods for the study of heart conduction have to the study of atherosclerosis and this applies to a number of other chapters. Indeed many of them describe methods such as thallium scintigraphy which may be capable of detecting the consequences of atherosclerotic disease but generally do so only when the disease is already extremely advanced and has reached the stage of producing clinically detectable abnormalities.

Some sections of the book are so weak as not to warrant inclusion. It seems particularly unfortunate for example that positron emission tomography which is perhaps one of the more exciting methods available should be dismissed in two pages while plethysmography occupies 20 pages.

Those with a direct interest in atherosclerosis research or non-invasive methods in the detection of cardiovascular disease will find little to interest or educate them in this book. Those with a more basic knowledge seeking an introduction or grounding in the subject would be better advised to look elsewhere.

C. A. LAYTON,
22 Upper Wimpole Street,
London W1M 7TA.

Leukemia Ecology: Ecological Prophylaxis of Leukemia

By JULIAN ALEKSANDROWICZ and ALEKSANDER B. SKOTNICKI. Pp. xv+205, illustrated. National Center for Scientific, Technical and Economic Information, Foreign Scientific Publications Department,

Warsaw, Poland (Distributed through the National Technical Information Service, Springfield, Virginia), 1982. \$19.00 (U.S.A.), \$38.00 (other countries).

This unusual book, translated from the Polish, was published following an agreement with the National Science Foundation, Washington, D.C., by the Foreign Scientific Publications Department of the National Center for Scientific, Technical and Economic Information, Warsaw, in 1982.

In the opinion of the authors the leukaemia process is the result of a disturbed balance between the activity of antileukaemogens such as antioxidants and immunopotentiating factors on the one hand and leukaemogenic factors in the environment on the other. The authors consider in leukaemogenesis, cytogenetic factors, immunologic factors, physical, chemical and biological factors. The text is dry and aged in flavour. The references are old and mostly from the 1960s and 1970s. The approach to cytogenetics and immunology is for instance, rudimentary and the index is pathetically inadequate.

On the other hand some of the detailed epidemiology of leukaemia in Poland is very well done and reflects a great deal of detailed cautious study.

On the whole a book of very highly specialized interest. It would be generous to say it must have lost a great deal in translation.

A. H. GOLDSTONE,
Department of Haematology,
University College Hospital,
Gower Street,
London WC1E 6AU.

Letter to the Editor

April 12th, 1984

Splenic rupture in pregnancy

Sir,

I was interested to read the case report of a ruptured spleen occurring in early pregnancy (Lamberton, 1983) and would like to report a case of splenic rupture which occurred in the 16th week of a 40-year-old's seventh pregnancy. She presented with upper abdominal pain of sudden onset radiating to her back and left shoulder. Physical examination revealed a patient in hypovolaemic shock with tenderness in the left hypochondrium and a positive Kehr's sign. The absence of vaginal bleeding suggested a surgical rather than an obstetrical source of haemorrhage and the clinical diagnosis of splenic rupture was confirmed at laparoscopy. She made an uneventful recovery following splenectomy and the pregnancy proceeded normally. Pathological examination identified a cavernous haemangioma of the spleen as the source of haemorrhage. The presence of both thrombus and fresh clot, along with the active bleeding encountered at surgery, suggest that this was a delayed rupture. Spontaneous rupture of a splenic haemangioma has been described only in late pregnancy (Campbell, 1962.) It may be that minor trauma was the precipitating factor in this present case.

Yours faithfully,
C. J. SIMPSON

Division of Surgery,
The Victoria Infirmary,
Glasgow G42 9TY

References

- CAMPBELL, W.S. (1962) Rupture of haemangioma of the spleen in pregnancy. *Journal of Obstetrics and Gynaecology of the British Commonwealth*, **69**, 665.
LAMERTON, A.J. (1983) Spontaneous rupture of the spleen in early pregnancy. *Postgraduate Medical Journal*, **59**, 596.