It is a pity that these rival theories so often seem to claim a monopoly of the truth and to be mainly studied by their own particular faithful. Each has something to offer, particularly to the strait-laced medical reader, so long as the messages are expressed in ways that he or she can listen to them. I am not convinced this book meets that demanding requirement.

Robert J. Maxwell
King Edward's Hospital Fund for London,
14 Palace Court,
London W2 4HT.

The Management of Acute Pain, Gilbert Park and Barbara Fulton. Pp. 166. Oxford University Press, Oxford, New York, Tokyo, 1991. Paperback £14.95.

It has taken 20 years to establish the management of chronic pain as worthy of clinical and financial resourcing; the spotlight has finally moved back to the care of patients with acute pain. The publication of this book is therefore extremely timely. It is a short, well-presented, clearly printed, indexed guide aimed at junior medical and nursing staff written by two anaesthetists.

In identifying reasons for inadequate acute pain relief, I felt that the organizational aspects of the provision of care deserved consideration. Co-ordinated leadership from senior medical and nursing staff, possibly crystallized in the form of protocols, may be the key factor in improving care which is often reactive and provided by overworked junior staff. This concept would have strengthened the problem-oriented approach espoused by the authors.

A more didactic approach in some sections would perhaps have given the book more personality. This was notably absent in the chapter on 'useful opioid analgesic drugs' where I would have welcomed some comment on the relative usefulness of each agent possibly in place of the illustration of their chemical structures. These qualms were partially offset by the inclusion of case histories in a separate chapter. Dosages of each drug are clearly given for adults and children but the preface rather disconcertingly states that this information must be checked with the BNF.

Every aspect of the subject from drugs to psychological factors and alternative therapies is covered, well organized under chapter headings, making the book a success in its aim to be a simple practical guide. It avoids the danger in a short book of being simply prescriptive by adequately imparting understanding of the principles involved. Excellent coverage is given to opioid infusions, patient-controlled analgesia systems and spinal opioids. Full details of technique and medical and nursing care are given, clearly based on practical experience. The list of further suggested reading was well constructed, quoting both standard texts and individual papers.

This book possesses the qualities of being practical, easy to read and relevant to virtually all medical and nursing staff. It should be made widely available on wards and in departments.

R. Potter
School of Postgraduate Medicine, University of Keele,
Centre of Epidemiology, Public Health Medicine
and Primary Health Care,
North Staffordshire Hospital Centre,
Hartshill, Stoke-on-Trent ST4 7QB.

NMR in Medicine and Biology – Structure Determination, Tomography, *In Vivo* Spectroscopy, K.H. Hausser and H.R. Kalbitzer. Pp. xv + 217, illustrated. Springer-Verlag, Heidelberg, 1991. Hardback DM 98.00.

The phenomenon of nuclear magnetic resonance (NMR) is the common ground for chemists, biochemists, medical imagers, physiologists and clinicians. Not since the discovery of X-rays has there been such an upsurge of medical interest and activity centred on a new form of energy or, in this case, a combination of energies, namely radiofrequency and magnetism. A combination that induces energy release from proton spins acting as small magnets. This discovery has been known for half a century and used for chemical analysis for the last 40 years. At present magnetic resonance imaging (MRI) is the method of choice in neurology where available while magnetic spectroscopy (MRS) can record *in vivo* biochemical processes such as those occurring in muscle contraction.

Nuclear magnetic resonance is thus the most versatile of the energy forms used in medical diagnosis and probably the safest for 'non-destructive' testing. However, it is also the most complex to understand, manipulate and interpret, particularly when presented as algebraic formulae. Moreover, it could not have been developed without the mathematical operation of Fourier transformation of time-dependent signals into a frequency spectrum and modern computer technology.

This is not a book for light reading by clinicians, biochemists and radiologists but is well suited as an introduction to those intrigued by the fundamentals of physics and, in this sense, can be recommended without hesitation. It certainly reviews the uses of the present techniques including biochemistry, analysis of biological macromolecules, imaging *in vivo* spectroscopy and the fundamental principles of nuclear magnetic resonance in some detail. This book is invaluable as an overview of the physics of NMR and its applications.

L. KreeI
19 Meadway,
London NW11 7DR.

Obesity, Jean Vague. Pp. v + 153, illustrated. John Libbey, London, 1991. Paperback £17.50.

The author's outstanding contributions to research on the clinical and metabolic aspects of obesity over a 50 year period are included in this useful book. Professor Vague's accurate clinical descriptions in 1947 of two main types of obesity, namely 'android' affecting the upper part of the body, and 'gynoid' affecting the lower part, preceded our current understanding of the metabolic importance of android obesity and its association with diabetes, insulin resistance, and heart disease by many years.

The section on treatment, however, is sketchy; for instance the whole of the surgical approach to obesity is dismissed in seven lines, and the usefulness of this book is to the reader with specialist interests in the fields of metabolic aspects of obesity and to help him or her there is a very adequate subject index.

The section on dystrophic obesity contains some rarely seen conditions such as the Prader-Willi syndrome where obesity is associated with growth retardation and