

- monocytes: tool for diagnosis and marker of disease activity in Wegener's granulomatosis. *Lancet* 1985;1:425-9.
- 25 Cohen Tervaert JW, van der Woude FJ, Fauci AS, et al. Association between active Wegener's granulomatosis and anti-cytoplasmic antibodies. *Arch Intern Med* 1989;149:2461-5.
 - 26 Savage COS, Winearls CG, Jones S, Marshall PD, Lockwood CM. Prospective study of radioimmunoassay for antibodies against neutrophil cytoplasm in diagnosis of systemic vasculitis. *Lancet* 1987;1:1389-93.
 - 27 Geffriaud-Ricouard C, Noel LH, Chauveau D, Houhou S, Grunfeld JR, Lesavre P. Clinical spectrum associated with ANCA of defined antigen specialities in 98 selected patients. *Clin Nephrol* 1993;39:125-36.
 - 28 Jayne DRW, Gaskin G, Pusey CD, Lockwood CM. ANCA and predicting relapses in systemic vasculitis. *Q J Med* 1995;88:127-33.
 - 29 Cohen Tervaert JW, Huitema MG, Hene RJ, et al. Prevention of relapse in Wegener's granulomatosis by treatment based on antineutrophil cytoplasmic antibody titre. *Lancet* 1990;336:709-11.
 - 30 Kerr GS, Fleisher TA, Hallahan CW, Leavitt RY, Fauci AS, Hoffman GS. Limited prognostic value of changes in anti-neutrophil cytoplasmic antibody titre in patients with Wegener's granulomatosis. *Arthritis Rheum* 1993;36:365-71.
 - 31 Petterson E, Heigl Z. Antineutrophil cytoplasmic antibody (cANCA and pANCA) titres in relation to disease activity in patients with necrotizing vasculitis: a longitudinal study. *Clin Nephrol* 1992;37:219-28.
 - 32 Kallenberg CGM, Mulder AHL, Cohen Tervaert JW. Antineutrophil-cytoplasmic antibodies: a still-growing class of autoantibodies in inflammatory disorders. *Am J Med* 1992;93:675-82.
 - 33 Adu D, Savage COS, Lockwood M, et al. ANCA positive and ANCA negative microscopic polyarteritis. *Clin Exp Immunol* 1995;101 (suppl):62.
 - 34 Gaskin G, Savage COS, Ryan JJ, et al. Anti-neutrophil cytoplasmic antibodies and disease activity during long-term follow-up of 70 patients with systemic vasculitis. *Nephrol Dial Transplant* 1991;6:689-94.
 - 35 Schmitt WH, Heesen C, Csernok E, Rautmann A, Gross W. Elevated serum levels of soluble interleukin-2 receptor in patients with Wegener's granulomatosis. Association with disease activity. *Arthritis Rheum* 1992;35:1088-95.
 - 36 Stegeman CA, Cohen Tervaert JW, Huitema MG, Kallenberg CGM. Serum markers of T cell activation in relapses of Wegener's granulomatosis. *Clin Exp Immunol* 1993;91:415-20.
 - 37 Stolc V, Krause Jr. Interleukin-2 receptor levels are increased in blood of heart transplant recipients during infections. *Diagn Clin Immunol* 1987;5:171-4.
 - 38 Wong KL, Wong RPO. Serum soluble interleukin 2 receptor in systemic lupus erythematosus: effects of disease activity and infection. *Ann Rheum Dis* 1991;50:706-9.
 - 39 Roche NE, Fulbright JW, Wagner AD, Hunder GG, Goronzy JJ, Weyand CM. Correlation of interleukin-6 production and disease activity in polymyalgia rheumatica and giant cell arteritis. *Arthritis Rheum* 1993;36:1286-94.
 - 40 Grau GE, Roux-Lombard P, Gysler C, et al. Serum cytokine changes in systemic vasculitis. *Immunology* 1989;68:196-8.
 - 41 Deguchi Y, Shibata N. Enhanced expression of the tumor necrosis factor/cachectin gene in peripheral blood mononuclear cells from patients with systemic vasculitis. *Clin Exp Immunol* 1990;81:311-4.
 - 42 Stegeman CA, Tervaert JW, Huitema MG, de Jong PE, Kallenberg CG. Serum levels of soluble adhesion molecules intercellular adhesion molecule 1, vascular cell adhesion molecule 1, and E-selectin in patients with Wegener's granulomatosis. Relationship to disease activity and relevance during follow-up. *Arthritis Rheum* 1994;37:1228-35.
 - 43 Pall AA, Adu D, Drayson M, Taylor CM, Richards NT, Michael J. Circulating soluble adhesion molecules in systemic vasculitis. *Nephrol Dial Transplant* 1994;9:770-4.
 - 44 Kekow J, Szymkowiak C, Gross WL. Involvement of cytokines in granuloma formation within primary systemic vasculitis. In: Romagnoli S, ed. *Cytokines: basic principles and clinical applications*. New York: Raven Press, 1992; pp 341-8.
 - 45 Mrowka CL, Priema H, Sieberth HS. Circulating adhesion molecules in ANCA-associated systemic vasculitis with renal involvement. *Nephrol Dial Transplant* 1994;9:895.
 - 46 Janssen BA, Lugmani RA, Gordon C, et al. Correlation of blood levels of soluble vascular cell adhesion molecule-1 with disease activity in systemic lupus erythematosus and vasculitis. *Br J Rheum* 1994;33:1112-6.

Grants for travel and research 1998

The Fellowship of Postgraduate Medicine is offering grants for travel, or towards the cost of equipment, for young graduates entering careers in clinical research. These are intended as "top-up" grants for existing research, or for specific purposes of travel in connection with the research, and are of the order of £1000.

The application should give a concise summary of the research project, the sum requested, details of the equipment or of the travel project, and include a curriculum vitae of the applicant.

Successful applicants will be expected to submit reports of their research for publication in the *Postgraduate Medical Journal*.

Applications should be sent to:

Mrs E J Young
Executive Secretary
The Fellowship of Postgraduate Medicine
12 Chandos Street
London W1M 9DE

CLOSING DATE FOR APPLICATIONS: 2 March 1998