FRCS first pass variance: deanery and specialty contrariety

Chris Brown,¹ Tarig Abdelrahman,¹ John Pollitt,¹ Mark Holt,¹ Wyn G Lewis^{1,2}

¹Wales Post Graduate Medical and Dental Education Deanery, School of Surgery, Cardiff, UK
²Upper GI Surgery, University Hospital of Wales, Cardiff, UK

Correspondence to

Professor Wyn G Lewis, Wales Deanery Specialty School of Surgery, University Hospital of Wales, Heath Park, Cardiff CF14 4XW, UK; wyn.lewis4@wales.nhs.uk

Received 2 May 2017
Revised 5 July 2017
Accepted 16 July 2017
Published Online First
8 August 2017

ABSTRACT

Background FRCS exit examination success may be interpreted as a surrogate marker for UK Deanery-related training quality. The aim of this study was to evaluate relative FRCS examination pass rates related to Deanery and Surgical Specialty.

Methods Joint Committee on Surgical Training-published examination first attempt pass rates were scrutinised for type I higher surgical trainees and outcomes compared related to Deanery and Surgical Specialty.

Results Of 9363 FRCS first attempts, 3974 were successful (42.4%). Median and mean pass rates related to Deanery were 42.1% and 30.7%, respectively, and ranged from 26.7% to 45.6%. Median (range) pass rates by specialty were urology 76.3% (60%–100%), trauma and orthopaedic surgery 74.7% (58.2%–100%), general surgery 70.0% (63.1%–86%), ENT 62.5% (50%–100%), cardiothoracic surgery 50.0% (25%–100%), oral and maxillofacial surgery 50% (40.0%–100%), neurosurgery 50% (22.7%–100%), plastic surgery 47.6% (30.0%–100%) and paediatric surgery 25% (16.7%–100%). Significant variance was observed across all specialties and deaneries ($p=0.001$).

Conclusion As much as threefold variance exists related to FRCS examination first attempt success, trainees should be aware of this spectrum when preferencing deaneries during national selection.

proof of training, and in the days of the Company of Surgeons (renamed RCS Eng. 1800), it was customary for candidates to appear before the Court of Examiners after a 7-year apprenticeship to prove their competence. The first published curriculum appeared in 1819, in keeping with the Apothecaries Act (1815), aimed at raising the standard of medical practice, and in 1838, an intercollegiate conference (Edinburgh, Dublin and London) attempted to standardise the UK surgical curriculum with agreed minimum requirements. Finally, in 1884, an accord was reached and the FRCS examination subsequently flourished.²

All of the above clauses remain relevant to contemporary surgical practice, and with the development of formal training programmes, examinations are mapped to curricula, which are continually revised and updated. Yet, if trainees from different deaneries perform differently in high-stakes evaluations, questions arise regarding the causes of such variation, with the most vivid concerning the extent to which differences in training provision may cause differential performance. Moreover, modern-day FRCS examination success may be interpreted as a surrogate marker for deanery-related training quality, and the aim of this study was to evaluate the FRCS, first attempt pass rate, related to UK deanery and surgical specialty, to determine the overall comparative success rates.

INTRODUCTION

The arena of surgical education, assessment and published works has a long and distinguished history, originating with Galen of Pergamon (AD 131–201), the accomplished Greek physician and scholar, practising in Roman antiquity. The west's senior surgical college, The Royal College of Surgeons of Edinburgh, has enjoyed a continuous existence since 1505 when the Barber Surgeons of Edinburgh were formally incorporated as a Craft Guild of the Burgh, with an associated Charter of Privileges imposing critical duties that every master surgeon have full knowledge of anatomy and surgical procedures, and all apprentices be literate and thorough testing be performed at apprenticeship end. From its earliest origins, therefore, as the Incorporation of Surgeons (renamed RCS City of Edinburgh 1778), RCS Ed. was an examining body concerned with setting and maintaining professional standards and, during its first two centuries, admitted to membership apprentices trained for 6 years by master surgeons.¹

The Royal College of Surgeons of England similarly had a vested interest in its members furnishing

METHODS

Joint Committee on Intercollegiate Examinations (JCIE) data, related to specialty-specific intercollegiate Fellowship of the Royal College of Surgeons (FRCS) examination results, were accessed from the JCIE website³ for all Section 2 sittings between January 2007 and February 2017. Data for non-national training number candidates were excluded from the analysis. The numbers of candidates successful at their first attempt and the total number of candidates sitting the examination were identified and the percentage first-time pass rates were calculated related to region and specialty. Regional Deaneries were subsequently ranked by all-specialties and individual specialty examination performance, respectively.

Statistical analysis

Statistical analysis appropriate for non-parametric data was performed using SPSS Statistics for Macintosh V.23.0 (IBM, Armonk, New York, USA).

CrossMark

To cite: Brown C, Abdelrahman T, Pollitt J, et al. *Postgrad Med J* 2018;**94**:48–52.

Table 1 Deanery ranking by FRCS examination performance across all specialties (cardiothoracic surgery, general surgery, neurosurgery, oral and maxillofacial surgery, otolaryngology, paediatric surgery, plastic surgery, trauma and orthopaedic surgery, and urology)

January 2009 to February 2017	All specialties (FRCS Section 2)			
Deanery	Total first attempt success	Total sat	Total first-time pass rate (%)	Rank
Oxford (OXF)	150	329	45.6	1
Severn Institute (SEV)	153	338	45.3	2
West Midlands (WMD)	332	744	44.6	3
North Western (NWN)	264	596	44.3	4
Upper quartile Wales (WAL)	148	341	43.4	5
Scotland (SCO/EOS/NOS/SES/WOS)	355	823	43.1	6
Wessex Institute (WES)	128	297	43.1	7
Armed Forces (TSD)	62	144	43.1	8
London (LDN)	662	1543	42.9	9
Yorkshire (YOR)	165	385	42.9	10
Northern (NTH)	195	456	42.8	11
East Midlands (North and South) (EMD/LEI/N)	193	454	42.5	12
South Yorkshire and South Humberside (SHF)	179	424	42.2	13
Northern Ireland (NIR)	102	242	42.1	14
Mersey (MER)	192	456	42.1	15
Lower quartile East of England (EAN)	236	564	41.8	16
South West Peninsula (PEN/SWN)	90	216	41.7	17
Kent, Surrey and Sussex (KSS)	171	422	40.5	18
Republic of Ireland (SR)	190	469	40.5	19
Malta	4	15	26.7	20
National average			42.1	

RESULTS

Data for all 20 regions and all nine specialties were available. Deanery ranking for pan-specialty examination performance is shown in [table 1](#).

Median and mean first attempt pass rates were 42.1% and 30.7%, respectively, and ranged from 26.7% to 45.6%. First attempt pass rates related to specialty are shown in [figure 1](#) (overall median 50%, range 25%–76.3%). Regional ranking by surgical specialty is shown in [table 2](#).

[Table 3](#) demonstrates regional specialty examination performance ranking by quartiles, and [table 4](#) demonstrates regional performance in terms of the proportion of deanery appearances in respective quartiles based on individual specialty examination pass rates. Statistically significant variability was observed globally across all specialties and regions ($p=0.001$), but not when assessed by individual specialty ($p=0.457$, Friedman's two-way analysis of variance).

DISCUSSION

This is the first study to demonstrate regional and specialty-specific examination-performance-based ranking of UK higher surgical training programmes. Any reasonable observer would be surprised that successful outcomes of such a high-stakes professional evaluation as the FRCS examination varied to such a degree. It was evident from the data that some regions performed more strongly in certain specialties than others, with pass rates ranging from 0% to 100% across all specialties. The biggest variation was observed in the smaller surgical specialties; paediatric surgery was associated with the biggest and fivefold variance (pass rate 16.7%–100%), followed by neurosurgery (fourfold variance, 22.7%–100%) and then plastic surgery (threefold variance, 30%–100%). Specialties with the least variation were general surgery (1.3-fold, 63.1%–86%), and trauma and orthopaedics (1.6-fold, 58.2%–94.9%).

Fitzgerald and Giddings from The Royal Marsden,⁴ London, reported similar findings in 2011, related to the MRCS examination, citing first attempt pass rates ranging from 54% to 94%. The likely multifactorial responsible influences were acknowledged, and without prior knowledge of the academic and clinical acumen of candidates, it was impossible to ascertain how much regional initiatives or prior undergraduate education may have contributed to the examination outcomes. This theory has previously been examined in respective papers from McManus *et al* and Bowhay *et al* who described the significant influence that variation in undergraduate medical school attendance had on the Royal College of Physicians⁵ (MRCP UK) and Fellowship of the Royal College of Anaesthetists⁶ (FRCA) examination performance, respectively. While these are valid points, the exact influence that both undergraduate and early postgraduate training may have on Higher Surgical Training (HST) exit examination performance is unclear, given the variation in trainee demographic and the range of foundation programme and core surgical training programmes that exist. In contrast, after SpR appointment to a HST programme, successful Certificate of Completion of Training (CCT) award typically takes a minimum of 6 years, likely the longest period of time a trainee will have spent in a single region, and consequently it would seem reasonable to interpret FRCS success as a surrogate marker for Deanery-related training quality.

Contemporary National Selection systems, which operate for most UK HST programmes, render it possible that a trainee may apply to a region in which they have never trained or even visited, and consequently any and all information available with regard to training quality is high-value currency. The publication of annual academic achievement league tables has been employed by the Universities of Oxford and Cambridge since 1963 and 1981, respectively, and these are used as a means of ranking colleges by undergraduate examination performance.⁷ More

Figure 1 Boxplot of FRCS first attempt pass rate by specialty. CTS, cardiothoracic surgery; ENT, otolaryngology; GS, general surgery; NS, neurosurgery; OMFS, oral and maxillofacial surgery; PAN, pan-specialty; PL, plastic surgery; PS, paediatric surgery; TO, trauma and orthopaedics; Ur, urology.

recently, ranking of both national and international performance in higher education has become common,⁶ with three annual UK university rankings published and aimed at assisting prospective student choice. Despite their popularity, league tables must be interpreted appropriately and with caution. The obvious advantages of league tables are that they can provide valuable consumer information with regard to quality, a crucial factor for prospective candidates to weigh when choosing training locations. League tables also serve to provide a framework that demonstrates accountability, accomplishment and quality assurance, and may contribute to improved quality by stimulating interinstitutional competition.⁸

Ideally, ranking should not be based on a single factor, but compiled using a range of credible factors, with weighting underwritten by theory. Sadly, this is frequently where ranking systems fail and risk being methodologically unsound, unfair or only selectively measuring an institution's achievements.⁹ Bowden, in criticising British university rankings, warned of the risk that ranking fails to provide students with the critical information needed to make informed choices. Evaluation of institutions' relevant strengths and approaches to teaching and learning provides better measures than league-table position.¹⁰ In industry, where quality control is allied to success, a different system termed statistical process control is employed, which rather than judging the finished article, examines the process as a whole.^{11 12} This model employs control charts and recognises that the outputs of even the most perfectly tuned production

system inevitably show some variation, and that even under ideal conditions similar providers (eg, regions or doctors) will seldom match each other's performance exactly.¹³

The data presented in this review are in its raw format as reported by the JCIE, and arguably the deaneries of Malta and the Armed Forces could be excluded from the analysis. Although not strictly part of the UK National training scheme, Malta's FRCS results are published in parallel with the remainder of the UK, but the small numbers of applicants mean the data must be interpreted with caution. Results from the Armed Forces are recorded as a separate deanery, yet it does not conform to a geographical area because the ministry of defence allocates trainees to individual deaneries based on trainee need and preference and attributing performance and training quality to the ministry of defence per se would be false. Nevertheless, the high ranking reported related to the specialties of trauma and orthopaedic and plastic surgery may arguably be attributed to additional training opportunities offered by association with the ministry of defence.

There are a number of inherent and potential limitations of this study, which fall in line with the general limitations of league tables described above. The regional and specialty rankings presented are based on a single factor, namely FRCS examination performance, pass or fail, and have therefore been analysed on a digital rather than an analogue scale. The weight given to this as a representation of training quality is clearly a confounding variable. In contrast, all of the data are available to

Table 2 Regional ranking related to specialty

Deanery	T&O	GS	ENT	Ur	PS	CTS	NS	PdS	OMFS
Armed Forces (TSD)	3	18	16	17	1	15	1	–	6
East Midlands (North and South) (EMD/LEI/N)	5	19	1	8	13	2	1	12	1
East of England (EAN)	12	17	11	4	9	1	1	15	9
Kent, Surrey and Sussex (KSS)	19	3	4	16	3	1	1	16	10
London (LDN)	18	13	3	7	6	4	5	4	9
Malta	20	20	17	18	17	16	14	16	16
Mersey (MER)	14	7	13	15	8	1	8	5	11
North Western (NWN)	9	6	2	6	12	5	2	2	7
Northern (NTH)	16	11	1	5	11	7	7	7	1
Northern Ireland (NIR)	8	5	4	14	16	3	9	1	15
Oxford (OXF)	17	2	6	1	2	1	1	6	14
Republic of Ireland (SR)	7	16	14	10	4	9	13	9	16
Scotland (SCO/EOS/NOS/SES/WOS)	13	10	8	9	8	14	6	3	2
Severn Institute (SEV)	2	1	9	11	10	13	4	8	3
South West Peninsula (PEN/SWN)	6	15	12	12	7	10	3	16	12
South Yorkshire and South Humberside (SHF)	10	14	15	4	10	8	1	13	13
Wales (WAL)	4	4	5	2	14	12	12	14	5
Wessex Institute (WES)	11	8	7	1	15	1	10	1	8
West Midlands (WMD)	1	9	8	13	5	6	11	11	4
Yorkshire (YOR)	15	12	10	3	9	11	1	10	1

Regions given same ranking where examination performance was equal.

CTS, cardiothoracic surgery; ENT, otolaryngology; GS, general surgery; NS, neurosurgery; OMFS, oral and maxillofacial surgery; PdS, paediatric surgery; PS, plastic surgery; T&O, trauma and orthopaedic surgery; Ur, urology.

the general public from the JCIE website, and must be assumed to be accurate, spanning a decade of examination sittings, with results that are subject to rigorous quality control.

CONCLUSION

In the current, unsettled climate of training reconfiguration,^{14 15} robust demonstrable training quality assurance is vital. No such nationally agreed consensus for the demonstration of overall

training quality or regional strengths by deanery currently exists, and it cannot be argued that a league table based on FRCS results alone provides accountability. Measures to reduce inter-deanery variability should be considered, likely related to more uniform setting of curriculum-related global objectives, professionalising the role of surgical trainers, and an enhanced and revised ARCP process as suggested in the forthcoming Improving Surgical

Table 3 Regional specialty examination performance ranking by quartiles (Q3, upper quartile; Q1, lower quartile)

Deanery	T&O	GS	ENT	Ur	PS	CTS	NS	PdS	OMFS
Armed Forces (TSD)	Q3	Q1	Q1	Q1	Q3	Q1	Q3	Q1	IQR
East Midlands (North and South) (EMD/LEI/N)	IQR	Q1	Q3	IQR	IQR	IQR	Q3	IQR	Q3
East of England (EAN)	Q1	Q1	IQR	IQR	IQR	Q3	Q3	IQR	IQR
Kent, Surrey and Sussex (KSS)	Q1	Q3	Q3	Q1	Q3	Q3	Q3	Q1	IQR
London (LDN)	Q1	IQR	Q3	IQR	IQR	IQR	IQR	Q3	IQR
Malta	Q1	Q1	Q1	Q1	Q1	Q1	Q1	Q1	Q1
Mersey (MER)	IQR	IQR	IQR	IQR	IQR	Q3	IQR	Q3	IQR
North Western (NWN)	IQR	IQR	Q3	IQR	IQR	IQR	IQR	Q3	IQR
Northern (NTH)	IQR	IQR	Q3	IQR	IQR	IQR	IQR	IQR	Q3
Northern Ireland (NIR)	IQR	Q3	Q3	IQR	Q1	IQR	IQR	Q3	Q1
Oxford (OXF)	Q1	Q3	Q3	Q3	Q3	Q3	Q3	IQR	Q1
Republic of Ireland (SR)	IQR	Q1	Q1	IQR	Q3	IQR	Q1	IQR	Q1
Scotland (SCO/EOS/NOS/SES/WOS)	IQR	IQR	IQR	IQR	IQR	Q1	IQR	Q3	Q3
Severn Institute (SEV)	Q3	Q3	IQR	IQR	IQR	Q1	IQR	IQR	Q3
South West Peninsula (PEN/SWN)	IQR	IQR	IQR	IQR	IQR	IQR	IQR	Q1	IQR
South Yorkshire and South Humberside (SHF)	IQR	IQR	Q1	IQR	IQR	IQR	Q3	IQR	IQR
Wales (WAL)	Q3	Q3	Q3	Q3	Q1	IQR	Q1	IQR	IQR
Wessex Institute (WES)	IQR	IQR	IQR	Q3	Q1	Q3	IQR	Q3	IQR
West Midlands (WMD)	Q3	IQR	IQR	IQR	Q3	IQR	Q1	IQR	IQR
Yorkshire (YOR)	IQR	IQR	IQR	Q3	IQR	IQR	Q3	IQR	Q3

CTS, cardiothoracic surgery; ENT, otolaryngology; GS, general surgery; NS, neurosurgery; OMFS, oral and maxillofacial surgery; PdS, paediatric surgery; PS, plastic surgery; T&O, trauma and orthopaedic surgery; Ur, urology.

Table 4 Regional performance by combined, all-specialty pass rate quartile distribution (all values are in percentages)

Deanery	Q1	IQR	Q3
Armed Forces (TSD)	55.6	11.1	33.3
East Midlands (North and South) (EMD/LEI/N)	11.1	55.6	33.3
East of England (EAN)	22.2	44.4	22.2
Kent, Surrey and Sussex (KSS)	33.3	11.1	55.6
London (LDN)	11.1	66.7	22.2
Malta	100	0	0
Mersey (MER)	0	77.8	22.2
North Western (NWN)	0	77.8	22.2
Northern (NTH)	0	77.8	22.2
Northern Ireland (NIR)	22.2	44.4	33.3
Oxford (OXF)	22.2	11.1	66.7
Republic of Ireland (SR)	44.4	44.4	11.1
Scotland (SCO/EOS/NOS/SES/WOS)	11.1	66.7	22.2
Severn Institute (SEV)	11.1	55.6	33.3
South West Peninsula (PEN/SWN)	11.1	88.9	0
South Yorkshire and South Humberside (SHF)	11.1	77.8	11.1
Wales (WAL)	22.2	33.3	44.4
Wessex Institute (WES)	11.1	55.6	33.3
West Midlands (WMD)	11.1	66.7	22.2
Yorkshire (YOR)	0	66.7	33.3

Q1, lower quartile; Q3, upper quartile.

Training pilot.¹⁶ Formulation of an annually published, regional training quality assurance system based on the JCST CCT certification guidelines would be advantageous and welcome; this should facilitate the development and maintenance of sustainable high-quality surgical training.

Contributors CB: data collection, write-up and submission. TA: data collection, data analysis. JP: critical revision of the article. MH: critical revision of the article. WL: oversaw project, final approval prior to submission.

Competing interests None declared.

Provenance and peer review Not commissioned; externally peer reviewed.

© Article author(s) (or their employer(s) unless otherwise stated in the text of the article) 2018. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

REFERENCES

- MacLaren I. A brief history of the Royal College of Surgeons of Edinburgh. *Res Medica* 2014;268.
- Cope Z. *The Royal College of Surgeons of England*. 1st edn. London, 1959:133–45.
- Edinburgh T. JCIE—home, 2017. <https://www.jcie.org.uk> (accessed 1 Mar 2017).
- McManus IC, Elder AT, de Champlain A, et al. Graduates of different UK medical schools show substantial differences in performance on MRCP (UK) Part 1, Part 2 and PACES examinations. *BMC Med* 2008;6:5.
- Bowhay AR, Watmough SD. An evaluation of the performance in the UK Royal College of Anaesthetists primary examination by UK medical school and gender. *BMC Med Edu* 2009;9:38.
- Ox.ac.uk. Undergraduate Degree Classifications/University of Oxford, 2017. <https://www.ox.ac.uk/about/facts-and-figures/undergraduate-degree-classifications?wssl=1> (accessed 13 Mar 2017).
- Thakur M. The impact of ranking systems on higher education and its stakeholders. *J Inst Res* 2007;13:83–96.
- Harvey L. Rankings of higher education institutions: a critical review. *Qual High Educ* 2008;14:187–207.
- Kehm B. *University rankings, diversity, and the new landscape of higher education*. 1st ed. Rotterdam: Sense Publishers, 2007:vii–viii.
- Bowden R. Fantasy higher education: university and college league tables. *Qual High Educ* 2000;6:41–60.
- Shewhart W. *Economic control of quality of manufactured product*. 1st edn. Milwaukee, WI: American Society for Quality Control, 1980.
- Mohammed MA, Cheng KK, Rouse A, et al. Bristol, Shipman, and clinical governance: Shewhart's forgotten lessons. *Lancet* 2001;357:463–7.
- Adab P, Rouse AM, Mohammed MA, et al. Performance league tables: the NHS deserves better. *BMJ* 2002;324:95–8.
- Royal College of Surgeons of England *Improving surgical training: pilot study*. London, UK: Royal College of Surgeons of England Professional Standards October 2015.
- Greenaway D. Shape of training: Securing the future of excellent patient care: final report of the independent review led by Professor David Greenaway. 2013 http://www.shapeoftraining.co.uk/static/documents/content/Shape_of_training_FINAL_Report.pdf_53977887.pdf.
- Royal College of Surgeons of England. *Improving surgical training: proposal for a pilot surgical training programme*. London, UK: Royal College of Surgeons of England, 2016.

Main messages

- In the current, unsettled climate of training reconfiguration, robust demonstrable training quality assurance is vital.
- Trainees should be aware of the regional spectrum of FRCS examination first attempt success rates when preferencing deaneries during national selection.
- Formulation of an annually published, regional training quality assurance system based on the Joint Committee on Surgical Training CCT certification guidelines would be advantageous and welcome.

Current research questions

- Should there be a nationally agreed consensus for the demonstration of overall training quality or regional strengths by deanery or region?
- Why does such large regional variation in FRCS examination first attempt success rates exist despite a nationally agreed curriculum?
- Would ranking of regions by training outcomes prove to be a beneficial step towards global improvement in training quality and outcomes?
- What is the best method of defining quality in training?